




**FIG. 1**



**FIG. 2**



***FIG. 3***



**FIG. 4**

Analysis Manager

Console

Window

Help

Action

View

Tools

Tree

Console Root

Analysis Servers

KZAMAN

FoodMart 2000

Data Sources

FoodMart

Cubes

Budget

Partitions

Cube Roles

HR

Sales

Partitions

Cube Roles

Trained Cube

Warehouse

Warehouse and Sales

Shared Dimensions

Mining Models

Customer Pattern Discor

Mining Model Roles

Member Card RDBMS

Mining Model Roles

Database Roles

Meta Data

Dimensions:

Store

Time

Product

Promotion

Promotions

Customers

Education

Gender

Marital

Status

Store Size in

SQFT

Store Type

Yearly

Income

Unit Sales, Store Cost, Store Sales, Sales Count, Store Sales Net

Measures:

Store, Time, Product, Promotion Media, Promotions, Customers, Education

Level, Gender, Marital Status, Store Size in SQFT, Store Type, Yearly Income

Store

Time

Product

Promotion

Promotions

Customers

Education

Gender

Marital

Status

Store Size in

SQFT


Store Type

Yearly

Income

Unit Sales, Store Cost, Store Sales, Sales Count, Store Sales Net

FIG. 5



**FIG. 6**

700

701

702

703

704

705

706

Logical Column - Profit

General | Data Type | Aggregation | Levels

Name: Profit

Belongs to Table: "Foodmart"."Sales"

Sort order column: None

☒ Use existing logical columns as the source

Description:

OK Cancel Help

FIG. 7

800

801

802

803

805

804

Logical Column - Profit

General | Data Type | Aggregation | Levels

Data Type: **DOUBLE**

Reliable ☒

Length

Data Type derives from physical sources:

sum(Sales.Profit)

☒ Show all logical sources

Logical Table Source

Mapped as

FoodMart.'''.''' Sales.Profit

Sales

OK

Cancel

Help

Enter

Exit

**FIG. 8**






FIG. 9




FIG. 10

1100




FIG. 11

1200

ebiz - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Search Favorites Media

Address http://ebiz.corp.siebel.com/calcenter/start.swe

Go

File Edit View Help

Forecast Calendar Products Activities Accounts Info Enter Project Expense My Dashboard Answers Release

Show: Answers

Subject Area

Quality

Build

Defect Attributes

Time

Eng Product Line 1202

Facts

My Open Bugs

Criteria Results Views Advanced

Customize View

My Open Bugs

Defect Attributes/Summary

Reported Date

7/29/2003 6:46:01 PM

7/17/2003 2:51:09 PM

2/5/2003 5:35:58 AM

12/2/2002 3:31:30 PM

9/9/2002 10:42:05 PM

8/5/2002 10:35:01 PM

5/4/2002 1:17:36 AM

4/26/2002 5:49:52 AM

Change Request #

12-HEZLA

12-FBCHHAM

12-FBKQ06

12-HEFREI

12-DEFHSP

12-CZXO35

12-BSQ2IN

12-HP3BIV

requests with subtotal and/or grand total fail to hit valid cache entries in a certain situation

Cache entry is not hit even when it qualifies

Analytics server crashes every day. Need a SS on top of 7.5.2.210. SR: 38-888168151/CR: 12-FSLM1Z

nQSError: 42029 when using "Filter based on results of another request"

Create the ability to reuse a rsum define an ore level in another lever when drilling down.

Adding subtotal to column with count formula causes assertion

One Siebeltest.sql.txt query has different row count when compared to the benchmarks

Analytics generates ANSI SQL for Oracle 8.1 Database

Printer Friendly - Refresh - Download Excel - Download CSV

powered by Siebel e-business

0 of 0

Internet

1201

1203

1204

1211

1212

1213

1214

1215

1216

1217

1218

FIG. 12